



fiorentini




we clean the world

CLEAN AIR



											
		(301) C29F1	(551MS) C61F1	(552MS) C62F1	(553MS) C63F1	(551TS) C64F1	(552TS) C65F1	(553TS) C66F1	(751MS) C71F1	(752MS) C72F1	(753MS) C73F1
puissance	power	1000W	1000w	2X1000W	3X1000W	1000W	2X1000W	3X1000W	1000W	2X1000W	3X1000W
flux d'air	air flow	m3/h 210	m3/h 210	m3/h 425	m3/h 645	m3/h 210	m3/h 425	m3/h 645	m3/h 210	m3/h 425	m3/h 645
dépression	water lift	226 mBr	226 mBr	226 mBr	226 mBr	226 mBr	226 mBr	226 mBr	226 mBr	226 mBr	226 mBr
bruit	noise level	71,5 dB	79 dB	81 dB	83 dB	79dB	81 dB	83dB	79dB	81dB	83dB
capacité	capacity	30L	55L	55L	55L	55L	55L	75L	75	75	75
alimentation	power	220v- 50Hz 115v-60Hz	220v- 50Hz 115v-60Hz	220v- 50Hz 115v-60Hz	220v- 50Hz 115v-60Hz	220v- 50Hz 115v-60Hz	220v- 50Hz 115v-60Hz	220v- 50Hz 115v-60Hz	220v- 50Hz 115v-60Hz	220v- 50Hz 115v-60Hz	220v- 50Hz 115v-60Hz
poids	Weight	8,5kg	17,5kg	20kg	22,5kg	19,5kg	22kg	24,5kg	18kg	20,5kg	23kg
Poussière et liquide											
accessoires	Accessories	Ømm 40	Ømm 40	Ømm 40	Ømm 40	Ømm 40	Ømm 40	Ømm 40	Ømm 40	Ømm 40	Ømm 40

										
		(751TS) C74F1	(752TS) C75F1	(752MS) C76F1	(752MS) C82F1	(753MS) C83F1	(752TS) C85F1	(753TS) C85F1		
puissance	power	1000W	2X1000W	3X1000W	2X1000W	3X1000W	2X1000W	3X1000W		
flux d'air	air flow	210 m3/h	425m3/h	645 m3/h	425 m3/h	645 m3/h	425 m3/h	645 m3/h		
dépression	water lift	226 mBar	226 mBar	226 mBar	226 mBar	226 mBar	226 mBar	226 mBar		
bruit	noise level	79dB	81dB	83dB	81dB	83dB	81dB	83dB		
capacité	capacity	75L	75L	75L	75L	75L	75L	75L		
cuve	tank	ABS	ABS	ABS	ABS	ABS	ABS	ABS		
alimentation	power	220V-50Hz 115v-60Hz	220V-50Hz 115v-60Hz	220V-50Hz 115v-60Hz	220V-50Hz 115v-60Hz	220V-50Hz 115v-60Hz	220V-50Hz 115v-60Hz	220V-50Hz 115v-60Hz		
poids	Weight	21kg	23kg	25kg	21kg	23,5kg	24kg	26kg		
Poussière et liquide										
accessoires	Accessories	Ømm40	Ømm40	Ømm40	Ømm50/90	Ømm50/90	Ømm50/90	Ømm50/90		



A	flexible
B	tube rigide acier chromé
C	suceur plat
D	brosse
E	suceur poussière
F	suceur moquette
G	suceur eau
H	connecteur
I	suceur brosse
K	rallonge plastique





fiorentini

we clean the world

stabilimenti produttivi

50033 Piancaldoli (FI) via Piancaldoli 1896 Firenzuola
tel +39 0558173610 - fax +39 055817144

50033 Pietramala (FI) via Pietramala 70/B
tel +39 055813447 - fax +39 055813504

40024 Castel San Pietro (BO) via Cà Bianca 231/C
tel +39 051941743 - fax +39 0516942400

filiali commerciali

20132 Milano via Palmanova 211/A
tel +39 0227207783 - fax +39 022592779

00012 Guidonia Montecelio (Roma) via Bruno Pontecorvo 20
tel +39 0774357184 - fax +39 0774353419

dati aziendali

Ing. O. Fiorentini s.p.a. via Piancaldoli, 1896 - Firenzuola

50033 Fraz. Piancaldoli (FI) - Italia

P.I. 06113160482

Certificazione ISO 9001:2015

e-Mail: info@ingfiorentini.it